

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	1063	(temperature thermometer) with (implantable biocompatible)	USPA T; US-PG PUB	2003/09/23 10:58
2	BRS	L2	4	(thermometer) with (implantable biocompatible)	USPA T; US-PG PUB	2003/09/23 10:57
3	BRS	L3	157	1 and (x adj ray)	USPA T; US-PG PUB	2003/09/23 10:58
4	BRS	L4	5	1 same (x adj ray)	USPA T; US-PG PUB	2003/09/23 11:00
5	BRS	L5	19	1 same (image imaging)	USPA T; US-PG PUB	2003/09/23 11:05
6	IS&R	L6	1	("20030135085").PN.	USPA T; US-PG PUB	2003/09/23 11:20
7	IS&R	L7	918	(600/549).CCLS.	USPA T; US-PG PUB	2003/09/23 12:05
8	BRS	L8	66	7 and x adj ray	USPA T; US-PG PUB	2003/09/23 11:24
9	BRS	L9	5	8 and bulb	USPA T; US-PG PUB	2003/09/23 11:21

	Type	L #	Hits	Search Text	DBs	Time Stamp
10	BRS	L10	179	<b>7 and (image imaging)</b>	<b>USPA</b> T; US-PG PUB	<b>2003/09/23</b> <b>11:29</b>
11	BRS	L11	6	<b>10 and bulb</b>	<b>USPA</b> T; US-PG PUB	<b>2003/09/23</b> <b>11:24</b>
12	BRS	L12	31	<b>7 and (image imaging) with (acoustic ultrasound)</b>	<b>USPA</b> T; US-PG PUB	<b>2003/09/23</b> <b>11:33</b>
13	BRS	L13	5	<b>7 and bulb with fluid</b>	<b>USPA</b> T; US-PG PUB	<b>2003/09/23</b> <b>11:40</b>
14	BRS	L14	6	<b>7 and bulb same fluid</b>	<b>USPA</b> T; US-PG PUB	<b>2003/09/23</b> <b>11:35</b>
15	BRS	L15	241	<b>7 and fluid</b>	<b>USPA</b> T; US-PG PUB	<b>2003/09/23</b> <b>11:35</b>
16	BRS	L16	26	<b>15 and (x adj ray)</b>	<b>USPA</b> T; US-PG PUB	<b>2003/09/23</b> <b>11:35</b>
17	BRS	L17	70	<b>7 and (implantable biocompatible)</b>	<b>USPA</b> T; US-PG PUB	<b>2003/09/23</b> <b>11:41</b>

	Type	L #	Hits	Search Text	DBs	Time Stamp
18	BRS	L18	15	("4021364"   "4793825"   "5475318"   "5492122"   "5657760"   "5749364"   "5779643"   "5863520"   "5909078"   "5914507"   "5944717"   "5989190"   "6092530"   "6287765"   "6291140").PN.	USPA T	2003/09/23 11:42
19	BRS	L19	6	("3971362"   "5446452"   "5697384"   "5724030"   "5984875"   "6015390").PN.	USPA T	2003/09/23 11:43
20	BRS	L20	11	5446452.URPN.	USPA T	2003/09/23 11:44
21	BRS	L21	19	("2407690"   "3369549"   "4154246"   "4311154"   "4583556"   "4601296"   "4658836"   "4700716"   "4813429"   "4825880"   "4841988"   "4967765"   "4979948"   "5007437"   "5057106"   "5226430"   "5443470"   "5480417"   "5549559").PN.	USPA T	2003/09/23 11:52
22	BRS	L22	37	7 and marker	USPA T; US-PG PUB	2003/09/23 12:08
23	IS&R	L23	3	(("5109853") or ("4170138") or ("4138998")).PN.	USPA T; US-PG PUB	2003/09/23 12:19
24	BRS	L24	13	4138998.URPN.	USPA T	2003/09/23 12:09

	Type	L #	Hits	Search Text	DBs	Time Stamp
25	BRS	L25	16	("1199121"   "3548308"   "3631721"   "3893111"   "4138998"   "4469451"   "4561054"   "4613757"   "4947247"   "5109853"   "5285785"   "5394457"   "5396889"   "5967982"   "5983123"   "6097994").PN.	USPA T	2003/09/23 12:10
26	IS&R	L26	279	(374/100,187,201).CCLS.	USPA T; US-PG PUB	2003/09/23 12:19
27	BRS	L27	4	26 and (implant implanted implantable)	USPA T; US-PG PUB	2003/09/23 12:22
28	BRS	L28	3	4036060.URPN.	USPA T	2003/09/23 12:21
29	BRS	L29	8	26 and fluid same bulb	USPA T; US-PG PUB	2003/09/23 12:22